

HeatingHUB

74 North Malvern Road - Worcs
WR14 4LX - Malvern
heatinghub@gmail.com
M +33 6 09 69 54 00
M +4479 70 659 269

L I N E A R


FOURSTEEL[®]
[heating products factory]

LINEAR VERSION II 300

LINEAR 300




LINEAR 300




6mm


from above



side view



inside



side view - inside

LINEAR

designed by

WorldStyle
heating solutions



LINEAR 150-16

manufactured by

FOURSTEEL®
[heating products factory]

3 lengths : 100 - 150 et 200 cm

Height : 24cm and 30 cm

High outputs in water and electric heating

MADE OF :

stainless steel
carbon steel

FINISHES

polished
brushed
black
white
RAL color

FOURSTEEL®
[heating products factory]



WorldStyle
heating solutions

Outputs WATER / ELECTRIC

L1000 100-16 cm
841 / 1200 WATTS

L1500 150-16 cm
1240 / 1500 WATTS


L2000 200-16 cm
1652 / 1800 WATTS

FOURSTEEL®
[heating products factory]




TECH Water Heating version

DESSINS TECHNIQUES



RACCORDEMENT



CONNECTIONS (mm)

LIN 200-16 : 1880

LIN 150-16 : 1380


LIN 100-16 : 880

Connections can be down or behind the rad towards the wall


WARRANTY

2 years

DESSINS TECHNIQUES



COMPOSANTS ÉLECTRIQUES



RÉSISTANCE ÉLECTRIQUE

tension - AC 230V, 50Hz
Puissance disponible
- 1200W, 1600W et 2600W
classe de protection - Classe I
protection standard - IP 64
type d'appareil - Z

BOUTON ON / OFF


tension- AC 230V 16A
avec led

MODE DE FONCTIONNEMENT

Pour la mise en service brancher le câble d'alimentation au réseau électrique.
Appuyer le bouton on/off pour allumer l'équipement. En cas d'installation de régulation, suivre les instructions livrées avec la régulation et laisser le bouton enfoncé.

FIXATION AU SOL

Cet équipement doit être fixé au sol. Enlever le carter décoratif, fixer l'appareil au sol à l'aide de 2 vis non fournies, remettre le carter décoratif.



GARANTIE

2 ans sur présentation de la facture d'achat.

NETTOYAGE

Utiliser un chiffon humide pour nettoyer le radiateur.
Ne pas utiliser des détergents ou produits agressifs, tels que l'ammoniaque.

MISE AU REBUT

Cet équipement ne doit pas être jeté dans les déchets urbains mais déposé dans les conteneurs spéciaux des résidus électriques et électroniques pour le recyclage. Contribuez à la protection de l'environnement en déposant cet équipement dans les conteneurs appropriés